

Concrete Placing Line System Weights



PRODUCT STANDARDS		(General information for concrete placing line systems)					
PIPE	PART NO.	O.D.	WALL	I.D.	TUBE	CONCRETE	TOTAL WGT FWC
		in	in	in	weight/ft	weight/ft	weight/ft
2" PIPE SYSEM	T62012, 11 GA	2.240	0.120	2.000	2.7	3.3	6.0
2.5" PIPE SYSTEM	T62512, 11 GA	2.740	0.120	2.500	3.4	5.1	8.5
3" PIPE SYSTEM	T63012, 11 GA	3.240	0.120	3.000	4.0	7.4	11.4
	T93025, 1/4 WALL	3.500	0.250	3.000	8.7	7.4	16.0
4" PIPE SYSTEM	T64012, 11 GA	4.240	0.120	4.000	5.3	13.1	18.4
	T64015, 9 GA	4.300	0.150	4.000	6.6	13.1	19.7
	T84025, 1/4 WALL	4.500	0.250	4.000	11.3	13.1	24.4
5" PIPE SYSTEM	T65012, 11 ga	5.236	0.120	4.996	6.6	20.4	27.0
	T65015, 9 ga	5.236	0.150	4.936	8.1	19.9	28.1
	TR4818, 7 ga	5.236	0.188	4.860	10.1	19.3	29.4
	T85025, 1/4 WALL	5.500	0.250	5.000	14.0	20.4	34.5
	T85050, 1/2 WALL	6.000	0.500	5.000	29.4	20.4	49.8
General guidelines to consider when setting up your placing system							
1 foot vertical pipe = 6 feet of horizontal				A 30 degree bend = 3 feet of horizontal pipe			
A 90 degree bend = 9 feet of horizontal pipe				1 foot of rubber hose = 2 feet of steel pipe			
A 45 degree bend = 4 1/2 feet of horizontal pipe							